

NZ LOUVRES


Visual Measuring Requirements



Blade opening direction



Motor Location



Blade Direction



Down Pipe Location




Power Point Location



Manual Panels
Handle Location

P1 P2 P3 P4 P5 P6 P7 P8 P9 P10

Post numbering






Square Corners




LED Lighting



Ziptrak
Provisioning



Panels



Fixing Legend

BF - BEAM FIXING

- TB = STANDARD TRUSS BRACKET
- TB/STEEL = TRUSS BRACKET STEEL FRAMING
- EXP = EXPOSED BRACKET
- ALT = ALTERNATIVE BRACKET
- DF/WB = DIRECT FIX WEATHERBOARD
- DF/VEN = DIRECT FIX VENEER PANEL CLADDING
- DF/FCP = DIRECT FIX FIBRE CEMENT PANEL CLADDING
- DF/CONC = DIRECT FIX CONCRETE
- DF/TIM = DIRECT FIX TIMBER
- DF/WB/55 = DIRECT FIX WEATHERBOARD 55mm PACKER
- DF/WB/150 = DIRECT FIX WEATHERBOARD 150mm PACKER

BC - BEAM CONNECTION

- CNR = CORNER MITRE
- CNR/DBL = CORNER MITRE DOUBLE BEAM
- CNR/EXT/DBL = CORNER MITRE EXTERNAL DOUBLE BEAM
- CNR/INT = CORNER INTERNAL DOUBLE BEAM
- CNR/EXT = CORNER EXTERNAL DOUBLE BEAM
- CNR/ANG = CORNER MITRE ANGLE
- CNR/BJ/ANG = CORNER BUTT-JOIN ANGLE
- BJ90 = BUTT-JOIN 90°
- BJ90/DBL = BUTT-JOIN 90° DOUBLE BEAM
- BJ/STR = BUTT-JOIN STRAIGHT BEAM
- DBL = DOUBLE BEAM
- DBL/10FB = DOUBLE BEAM 10mm FLAT BAR

PC - POST TOP CONNECTION

- CNR = CORNER FIXING
- CNR/DBL = CORNER FIXING DOUBLE BEAM
- CNR/INT = CORNER FIXING INTERNAL DOUBLE BEAM
- CNR/EXT = CORNER FIXING EXTERNAL DOUBLE BEAM
- SDF = SIDE FIXING
- SDF/DBL = SIDE FIXING DOUBLE BEAM
- SDF/BJ90/DBL = SIDE FIXING BUTT-JOIN 90° DOUBLE BEAM
- SDF/BJ/STR = SIDE FIXING BUTT-JOIN STRAIGHT BEAM
- SDF/END = SIDE FIXING BEAM END
- SDF/EXT = SIDE FIXING EXTERNAL BEAM
- BJ/EXT = BUTT-JOIN EXTENSION

PFC - POST FOOTING CONNECTION

- CO/450 = CONCRETE FOOTING 450mmØ
- CO/600 = CONCRETE FOOTING 600mmØ
- CO/600/DBL = CONCRETE FOOTING 600mmØ DOUBLE POST
- CO/600/OFFSET = CONCRETE FOOTING 600mmØ POST OFFSET
- CO/450x500 = CONCRETE FOOTING 450mmØ x 500mm DEEP
- CO/750 = CONCRETE FOOTING 750mmØ
- HDB = HEAVY DUTY BRACKET
- DAB = DECK ANGLE BRACKET
- DAB/SDF = DECK ANGLE BRACKET SIDE FIXING
- DAB/C-O = DECK ANGLE BRACKET POST CUT-OUT
- FMP = FLUSH MOUNT TO CONCRETE PATIO
- FMD = FLUSH MOUNT TO TIMBER DECK